

VICON SECURITY CAMERAS



Vicon's high-performance megapixel surveillance cameras offer professional quality, advanced performance and specialized features.

Vicon is proud to offer a portfolio of security cameras that was developed to meet the challenging requirements and environments associated with surveillance for critical infrastructure. Our product line is perfect for professional applications, as it brings intelligence, efficiency and convenience to video surveillance.

By keeping up with the latest camera technology advances, our portfolio has expanded to include cameras that offer the latest features to meet demanding applications.





Complete Security Solutions that Deliver *Simple Solutions for a Complex World*

Camera Solutions for Every Purpose, in Any Environment

Vicon offers a broad range of surveillance cameras for any mission-critical application, lighting condition and even the most challenging environments. Our portfolio of affordable indoor and environmental cameras maximizes video security options and protects people, property and assets.

Vicon Camera Lineup



Fixed IP Dome
Page 4-5



Turret/Bullet
Page 6-7



Specialty
Page 8



PTZ Domes
Pages 8-9



HD Analog
Page 10-11

NEW High-Performance Surveillance Cameras



4K Dome
Page 4



Micro Dome
Page 5



4K Bullet
Page 7



Extended
Focal-Length Bullet
Page 7



PTZ Cruiser
Page 8




Rugged PTZ
Page 9





PTZ IP Speed Dome
Page 9





PTZ AHD Speed Dome
Page 10



Vandal Dome Series	Key Features	Product Details
 <p>These rugged outdoor cameras are ideal in challenging environments.</p>	<ul style="list-style-type: none"> • 2 MP, 4 MP and 5 MP models • H.264/H.265 • Museum Search • HTTPS encryption • Smart Encoding • True WDR • IPV6 • Video Content Analysis (VCA) • Smart IR Illumination • MFZ lenses • High Dynamic Range - XW version • Starlight ultra-high sensitivity - XS version • SD card slot for on-camera storage • Indoor/Outdoor; IP66 	<p>Models:</p> <p>V942D-W312MIR V942D-W310MIR-XW V942D-W310MIR-XS V944D-W312MIR V945D-W310MIR</p>



NEW 4K Resolution Dome	Key Features	Product Details
 <p>The 4K dome camera delivers sharper images while providing a broad range of coverage and improved visibility.</p>	<ul style="list-style-type: none"> • 4K resolution (8 MP) • H.264/H.265 and M-JPEG compression • True WDR • 28 IR LEDs (90 ft/30 m range) • Motorized varifocal lens • FOV - Wide: 87°, Tele: 38° (horizontal) • Quad streaming • Video Content Analysis (VCA) • Audio and alarm input/output • Powered by PoE; 12 VDC • Video composite out • SD card slot for on-camera storage • Surface mounting on wall or ceiling; mounting options available • IP66; IK10 	<p>Model:</p> <p>V988D-W311MIR</p>


Indoor/Outdoor Hemispheric Series	Key Features	Product Details
 <p>This camera provides a high-resolution, hemispherical view that eliminates blind spots and provides server-based and edge-based dewarping.</p>	<ul style="list-style-type: none"> • 6 MP and 12 MP models • Indoor and outdoor models • 360° panorama at full HD • Fisheye lens • WDR • Smart Event function • Multiple dewarp display modes • IR illumination (16ft/5m) • SD card slot for on-camera storage • IK10; outdoor model IP66 	<p>Models:</p> <p>V9360-6 V9360W-6 V9360-12 V9360W-12</p>


Indoor Domes	Key Features	Product Details
 <p>These cameras combine excellent quality video in a cost-effective housing.</p>	<ul style="list-style-type: none">• 2 MP and 4 MP models• H.264/H.265• Museum Search• HTTPS encryption• Smart Encoding• True WDR• Video Content Analysis (VCA)• IR Illumination (82ft/25m)• Fixed and MFZ lens models• SD slot for on-camera storage	<p>Models:</p> <ul style="list-style-type: none">V802D-WIRV802D-W312MIRV804D-WIRV804D-W312MIR


NEW Micro Dome	Key Features	Product Details
 <p>Designed for security installations that require a small form factor vandal dome.</p>	<ul style="list-style-type: none">• 2 MP and 4 MP models a• H.265/H.264 compression• True WDR (120 dB)• Smart IR (49 ft/15 m range)• Fixed 2.8 mm lens• FOV (horizontal /vertical): 107.8°/56.7° (2 MP); 104.4°/54.40 (4 MP)• 0.03 lux low light capabilities (color)• Triple streaming• Smart encoding• Video Content Analysis (VCA)• Power-over-Ethernet (PoE); 12 VDC• Two-way audio• SD card slot for on-camera storage• IP66; IK10• Wall, wedge and backbox mounting options	<p>Models:</p> <ul style="list-style-type: none">V842D-28IRV844D-W28IR


Indoor/Outdoor Turrets	Key Features	Product Details
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>V932D-IR-1/ V934D-IR</p> </div> <div style="text-align: center;">  <p>V9521D-312MIR V9541D-312MIR</p> </div> </div> <p>The turret camera's innovative form factor provides ease of installation and adjustment.</p>	<ul style="list-style-type: none"> • 2MP and 4MP models • H.264/H.265 • Museum Search • Smart Encoding • WDR • Triple Streaming • IR Illumination (98ft/30m) • Fixed and MFZ lens models • Easy to install and adjust lens without opening • Eliminates IR reflection • IP66 	<p>Models: V932D-IR-1 V9521D-312MIR V934D-IR V9541D-312MIR</p>


Indoor/Outdoor EZ Turret	Key Features	Product Details
<div style="display: flex; align-items: center;">   </div> <p>This turret camera provides remote adjustments of the field-of-view.</p>	<ul style="list-style-type: none"> • 3 MP • H.264/H.265 • Museum Search • Smart Encoding • WDR • Triple Streaming • IR Illumination • MFZ lens • Easy to install; motorized pan and tilt controls allow remote setup • Eliminates IR reflection • SD card slot for on-camera storage • IP66 	<p>Model: V933EZ-312MIR</p>


Vandal Bullet Series	Key Features	Product Details
 <p>These rugged outdoor cameras are designed for performance in the most demanding security installments.</p>	<ul style="list-style-type: none"> • 2 MP, 4 MP and 5 MP models • H.264/H.265 • Museum Search • HTTPS encryption • Smart Encoding • True WDR • IPV6 • Video Content Analysis (VCA) • Smart IR Illumination • MFZ lenses • High Dynamic Range - XW version • Starlight ultra-high sensitivity - XS version • SD card slot for on-camera storage • IP67 	<p>Models: V942B-W312MIR V942B-W310MIR-XW V942B-W310MIR-XS V944B-W312MIR V945B-W310MIR</p>


NEW 4K Bullet	Key Features	Product Details
 <p>The 4K bullet camera delivers sharper images, providing superior images in any environment.</p>	<ul style="list-style-type: none"> • 4K resolution (8 MP) • H.264/H.265 and M-JPEG compression • True WDR • 34 IR LEDs (90 ft/30 m range) • Motorized varifocal lens • FOV - Wide: 87°; Tele: 38° (horizontal) • Quad streaming • Video Content Analysis (VCA) • Audio and alarm input/output • Powered by PoE; 12 VDC • Video composite out • SD card slot for on-camera storage • Surface mounting on wall or ceiling; mounting options available • IP66; IK10 	<p>Model: V988B-W311MIR</p>


NEW Extended Focal Length Bullet	Key Features	Product Details
 <p>This vandal bullet camera is designed for security installations that need a compact vandal resistant camera with a powerful 10x lens.</p>	<ul style="list-style-type: none"> • 1080p resolution (1920 x 1080) • Color: 0.35 lux, B/W: 0.013 lux • 5.1-51 mm motorized focus and zoom lens (10x) • 120 db WDR • IR LEDs (82 ft/25 m max range) • H.264 compression • Power-over-Ethernet; (IEEE 802.3af); 12VDC • SD card slot for camera storage • Triple Streaming • Audio In/Out • Alarm In/Out • IP66; IK10 	<p>Model: V922B W551MIR-A1</p>


Bullets	Key Features	Product Details
 <p>V812B-312MIR V814B-312MIR</p> <p>V812B-IR V814B-IR</p> <p>These bullet cameras provide excellent quality video in a cost-effective bullet housing.</p>	<ul style="list-style-type: none"> • 2 MP and 4 MP models • H.264/H.265 • Museum Search • HTTPS encryption • Smart Encoding • Digital WDR • Video Content Analysis (VCA) • IR Illumination • Fixed and MFZ lens models • Small form factor • IP66 	<p>Models: V812B-IR V812B-312MIR V814B-IR V814B-312MIR</p>


Roughneck V-CELL-HD-B	Key Features	Product Details
 <p>This heavy-duty, stainless steel high-security camera is designed specifically for custodial suites and prison cells.</p>	<ul style="list-style-type: none"> • 3 MP • 2.3mm fixed lens • WDR • H.264/MPEG-4/M-JPEG • Integrated IR LEDS (65ft/20m) • Integrated microphone and speaker • Water-resistant enclosure • PoE, 12 VDC/24 VAC • IK10 	<p>Model: V-CELL-HD-B</p>

Cruiser HD Network PTZ Dome	Key Features	Product Details
 <p>The Cruiser is designed to provide crisp images in a compact package to enhance the capabilities of a security system.</p>	<ul style="list-style-type: none"> • 1080p (1920x1080p) day/night camera • 20x (4.7-94mm) optical zoom; 16x digital zoom • H.264 and M-JPEG compression • Minimum illumination: Color 0.35 lux, B/W: 0.013 lux • True WDR • Supports local recording to Micro-SD card • Powered by PoE; 24 VAC/12 VDC • IP66 • Variety of options for wall, ceiling, corner and pole mounting 	<p>Model: SN673V-B</p>

NEW Cruiser HD Network PTZ Dome	Key Features	Product Details
 <p>The new Cruiser dome camera provides video surveillance over a wide area range.</p>	<ul style="list-style-type: none"> • 1080P (1920x1080P) day/night camera • H.265, H.264 and M-JPEG compression • 23X optical zoom (5-117mm) • Minimum illumination: Color 0.35 lux, B/W: 0.013 lux • True WDR • Video Content Analysis (VCA): Tampering, defog, intrusion detection and motion detection • IR illumination up to 196 ft (60 m) • Supports local recording to Micro-SD card • Powered by PoE+; 12 VDC • IP66; IK10 • Variety of options for wall, pole or corner mounting 	<p>Model: SN693V</p>

NEW Rugged PTZ	Key Features	Product Details
 <p>The rugged PTZ dome camera is designed for performance in the most demanding installations.</p>	<ul style="list-style-type: none"> • 3 MP resolution • True WDR; day/night camera with a built-in varifocal 36x optical zoom autoiris lens • Synchronized IR illuminators with 1312 ft (400 m) range • 12 VDC and UPoE (PoE injector included) • Quad streaming video • Video Content Analysis - Tampering, defog, intrusion detection • Two-way audio • 16 programmable privacy masks • Supports local recording to Micro-SD card • IP66; IK10 	<p>Model: SN683D-WIR</p>


NEW Thermal Sensor	Key Features	Product Details
 <p>High-powered thermal sensor cameras provide 360° coverage to detect, identify and track intruders. Combined with the SN683D PTZ, the result delivers situational awareness of any physical incursion.</p>	<ul style="list-style-type: none"> • Thermal detection and tracking of intruders up to 400 m in a 360° panoramic view • Integrated high-speed PTZ provides real-time tracking • Geospatial tracking on localized maps • Excellent performance regardless of lighting or weather conditions • Dual inputs to VMS provide PTZ image and multi-screen customized thermal display • One thermal unit can replace up to 8 fixed cameras • Perfect for large storage yards, parking lots, power plants or other secure areas 	<p>Model: VTR-609 VTR-613 VTR-619 VTR-625</p>

NEW IP PTZ Speed Dome	Key Features	Product Details
 <p>This IP PTZ dome camera is designed to fit in a wide range of environments, providing superb sharpness and excellent sensitivity.</p>	<ul style="list-style-type: none"> • 1080p resolution (1920 x 1080) • Min illumination: Color 0.35 lux, B/W: 0.013 lux • 30X optical zoom and 16X digital zoom • True WDR (120 db) • H.264 compression • Max 380°/sec speed (preset) • Power-over-Ethernet (IEEE 802.3af; 12 VDC; 24 VAC) • Privacy Masking • Audio In/Out; Alarm In/Out • DIS (Digital Image Stabilization), tampering, defog, face detection and object detection • Composite Video Out + RS485 • IP66; IK10 	<p>Model: SN240D</p>


AHD Analog Cameras Provide HD Quality Video over Coaxial Cable.

They are a cost-effective alternative when high-definition video is required, but all the other features of IP cameras are not needed, or as an upgrade to an existing system with pre-existing cabling. AHD, TVI and CVBS video outputs are provided.

PTZ Dome Cameras (Cont'd)

NEW AHD PTZ Speed Dome	Key Features	Product Details
 <p>The AHD PTZ is designed to fit in a wide range of environments, delivering HD quality video over coaxial cable.</p>	<ul style="list-style-type: none"> • 2 MP resolution (AHD or HD-TVI) • 1080p resolution (1920 x 1080); HD Analog • Min illumination: Color 0.35 lux, B/W: 0.013 lux • 30X optical zoom and 16X digital zoom • True WDR (120 db) • 256 presets • Pan/Tilt Speed: 380°/sec max • 12 VDC; 24 VAC • Privacy Masking • Audio In/Out; Alarm In/Out • DIS (Digital Image Stabilization), tampering, defog, face detection and object detection • Composite Video Out + RS485 • IP66; IK10 	<p>Model: V672-PTZ</p>

HD Analog Cameras

HD Analog Box	Key Features	Product Details
 <p>High-resolution day/night box camera that can accept a wide range of lens options to suit any application.</p>	<ul style="list-style-type: none"> • Supports AHD/TVI/CVBS • True Wide Dynamic Range (WDR; 120 dB) • On-screen menus with innovative joystick control make setup and operation easy • Privacy masking • 2 MP (1080p; AHD/TVI) • Digital Noise Reduction • Defog • Provides C/CS lens mount and standard autoiris output • <i>Lens not included</i> 	<p>Model: V672-W-NL</p>

HD Analog Outdoor Dome	Key Features	Product Details
 <p>Compact dome camera includes a fixed camera and motorized varifocal lens.</p>	<ul style="list-style-type: none"> • Supports AHD/TVI/CVBS • True Wide Dynamic Range (WDR; 120 dB) • On-screen menus with innovative joystick control • Privacy masking • FOV: 119.9°-28.8° (horizontal) • 2 MP (1080p; AHD/TVI) • IR LEDs (98 ft/30 m range) • Digital Noise Reduction • Defog • HLC (High Light Compensation) • Accepts UTC (up the coax) protocol • Plastic housing with impact-resistant plastic dome • Easy to install and set up • IP66; IK10 • Wall and in-ceiling mounts 	<p>Model: V672D-W312MIR</p>

HD Analog Cameras (Cont'd)

HD Analog Vandal Dome



Compact, vandalproof domed housing incorporating a fixed camera and motorized varifocal lens.

Key Features

- Supports AHD/TVI/CVBS
- True Wide Dynamic Range (120 dB)
- On-screen menus with innovative joystick control
- Privacy masking
- 2 MP (1080p; AHD/TVI)
- IR LEDs (98 ft/30 m range)
- Digital Noise Reduction
- Defog
- HLC (High Light Compensation)
- FOV: 94.2°-26.2° (horizontal)
- Accepts UTC (up the coax) protocol
- Easy to install and set up
- Die-cast aluminum housing with impact-resistant plastic dome
- IP66; IK10
- Wall and in-ceiling mounts

Product Details

Model:
V672V-W312MIR-1

HD Analog Outdoor Bullet



Outdoor bullet camera offers a durable housing incorporating a fixed camera and motorized varifocal lens.

Key Features

- Supports AHD/TVI/CVBS
- True Wide Dynamic Range (120 dB)
- On-screen menus with innovative joystick control make setup and operation easy
- Privacy masking
- 2 MP (1080p; AHD/TVI)
- FOV: 91°-28° (horizontal)
- IR LEDs (130 ft/40 m range)
- Digital Noise Reduction
- Defog
- HLC (High Light Compensation)
- Accepts UTC (up the coax) protocol
- Wall or ceiling mounting
- Easy to install and set up
- IP66

Product Details

Model:
V672B-W312MIR



Vicon's integrated product strategy means having innovative products at every layer of the security solutions stack — and within each layer — engineering them to work together seamlessly. With Vicon's high-performance security products that stand alone or work together, you can get the best fit for an organization.

Vicon's trusted products and solutions are installed around the globe in over 40,000 companies in a variety of vertical markets. For more information about Vicon, which is publicly traded on the OTCQB Venture Market under the symbol "VCON," visit our website: www.vicon-security.com

Corporate Headquarters

Vicon Industries
Tel: 631.952.2288
Toll-Free Sales: +1 (800) 645 9116
Email: sales@vicon-security.com

European Headquarters

Vicon Industries Limited
Tel: +44 1489 566300
Sales: +44 1489 566310
E-mail: uksales@vicon-security.com



www.vicon-security.com • [#viconsecurity](https://twitter.com/viconsecurity)